

Published on *SeniorNavigator* (<https://seniornavigator.org>)

## What Are the Signs of Alzheimer's Disease?

The symptoms of Alzheimer's can vary from one person to another. Memory problems are typically one of the first signs of the disease. Decline in non-memory aspects of cognition, such as finding the right word, trouble understanding visual images and spatial relationships, and impaired reasoning or judgment, may also signal the early stages of Alzheimer's. As the disease progresses, symptoms become more severe and include increased confusion and behavior changes.

 graphic of a woman sitting at a desk with a laptop looking confused.

For most people with Alzheimer's — those who have the [late-onset variety](#) — symptoms first appear in their mid-60s or later. When the disease develops before age 65, it's considered [early-onset](#) Alzheimer's, which can begin as early as a person's 30s, although this is rare.

Alzheimer's typically progresses clinically in several stages: preclinical, mild (sometimes called early-stage), moderate, and severe (sometimes called late-stage).

### **Preclinical Alzheimer's disease**

[Research suggests](#) that the [complex brain changes](#) associated with Alzheimer's, such as the formation of amyloid plaques or tau tangles, start a decade or more before memory and thinking problems appear. This stage, in which changes in the brain appear before the onset of dementia, is called preclinical Alzheimer's. However, it's important to note that not everyone with these brain changes develops dementia.

### **Signs of Mild Alzheimer's disease**

In mild Alzheimer's, a person may seem healthy but has more and more trouble making sense of the world around them. The realization that something is wrong often comes gradually to the person and their family. Problems can include:

- Memory loss that disrupts daily life

- Poor judgment, leading to bad decisions
- Loss of spontaneity and sense of initiative
- Losing track of dates or knowing current location
- Taking longer to complete normal daily tasks
- Repeating questions or forgetting recently learned information
- Trouble handling money and paying bills
- Challenges in planning or solving problems
- [Wandering](#) and getting lost
- Losing things or [misplacing](#) them in odd places
- Difficulty completing tasks such as bathing
- [Mood and personality changes](#)
- Increased anxiety and/or aggression

Alzheimer's is often [diagnosed](#) at this stage.

### **Signs of moderate Alzheimer's disease**

In this stage, more intensive supervision and care become necessary. These changes and increasing needs can be difficult for many spouses and families. Symptoms may include:

[Age-related forgetfulness or signs of dementia infographic. Click to open webpage. Read and share this infographic](#) to learn about how to tell the difference between age-related forgetfulness and dementia.

- Increased confusion and memory loss, such as forgetting events or personal history
- Withdrawal from social activities
- Inability to learn new things
- [Difficulty with language](#) and problems with reading, writing, and working with numbers
- Difficulty organizing thoughts and thinking logically
- Shortened attention span
- Problems coping with new situations
- Changes in [sleeping](#) patterns, such as sleeping more during the day and being restless at night
- Difficulty carrying out familiar, multistep tasks, such as getting dressed
- Occasional problems recognizing [family and friends](#)
- [Hallucinations, delusions, and paranoia](#)

- Impulsive behavior, such as undressing at inappropriate times or places, or using vulgar language
- Inappropriate emotional outbursts
- Restlessness, agitation, anxiety, tearfulness, [wandering](#) — especially in the late afternoon or evening
- Repetitive statements or movement, occasional muscle twitches

## **Signs of severe Alzheimer's disease**

People with severe Alzheimer's cannot communicate and are completely dependent on others for their care. [Near the end of life](#), the person may be in bed most or all of the time as their body shuts down. Symptoms often include:

- Inability to communicate
- No awareness of recent experiences or surroundings
- Weight loss with little interest in eating
- Seizures
- General physical decline, including [dental, skin, and foot problems](#)
- Difficulty swallowing
- Groaning, moaning, or grunting
- Increased sleeping
- Loss of bowel and bladder control

A common cause of death for people with Alzheimer's is aspiration pneumonia. This type of pneumonia develops when a person cannot swallow properly and takes food or liquids into the lungs instead of air.

While there is currently no cure for Alzheimer's, there are medicines approved by the U.S. Food and Drug Administration that may help treat the disease. There are also changes that can be made to the [home environment and daily activities](#) to help a person manage their changes in thinking.

## **Symptoms of mild cognitive impairment**

Some people have a condition called [mild cognitive impairment \(MCI\)](#), which can be an early sign of Alzheimer's. However, not everyone with MCI will develop Alzheimer's. People with MCI can still take care of themselves and perform their normal activities. MCI memory problems may include:

- Losing things often
- Forgetting to go to events or appointments
- Problems communicating because of difficulty finding words

## **When to visit the doctor for memory loss**

If you, a family member, or friend has problems remembering recent events or thinking clearly, talk with a doctor. A doctor may ask questions and conduct [various tests and procedures](#) to see what might be causing the symptoms. A doctor may also refer you to a specialist, such as a neurologist, for further assessment. Learn more in [How Is Alzheimer's Disease Diagnosed?](#) If you or someone you know has recently been diagnosed with Alzheimer's, visit [Next Steps After an Alzheimer's Diagnosis](#).

You also may be interested in [participating in research](#) on cognitive health, aging, and dementia. Learn more about [volunteering for research to advance Alzheimer's treatments](#).

Read about [this topic in Spanish](#). Lea sobre [este tema en español](#).

## **You may also be interested in**

- Learning about [what causes Alzheimer's disease](#)
- Watching a video on [how Alzheimer's changes the brain](#)
- Finding out how [Alzheimer's disease is diagnosed](#)

## **For More Information About the Signs of Alzheimer's Disease**

### **NIA Alzheimer's and related Dementias Education and Referral (ADEAR) Center**

800-438-4380

[www.nia.nih.gov/alzheimers](http://www.nia.nih.gov/alzheimers)

The NIA ADEAR Center offers information and free print publications about Alzheimer's and related dementias for families, caregivers, and health professionals. ADEAR Center staff answer telephone, email, and written requests and make referrals to local and national resources.

**Alzheimers.gov**

[www.alzheimers.gov](http://www.alzheimers.gov)

Explore the Alzheimers.gov website for information and resources on Alzheimer's and related dementias from across the federal government.

**Eldercare Locator**

800-677-1116

<https://eldercare.acl.gov>

**MedlinePlus**

National Library of Medicine

[www.medlineplus.gov](http://www.medlineplus.gov)

This content is provided by the NIH National Institute on Aging (NIA). NIA scientists and other experts review this content to ensure it is accurate and up to date.

Article Source

National Institute on Aging

Source URL

<https://www.nia.nih.gov>

Last Reviewed

Tuesday, December 3, 2024